



Kavango Tec : 4 Sleeper



Proudly Presenting the Echo Range of
Quality Camping Products to Australia

Contact: www.echo4x4australia.com.au

www.panoramacampers.com.au

Echo 4x4 Kavango Tec 4 Sleeper Australian Specifications by Panorama Campers

Specifications	<ul style="list-style-type: none">Tare: 1150kgGross Vehicle Mass: 1500kgOverall Length: 5150mmOverall Width: 1980mmOverall Height: 2000mmTow ball weight 102kg	Safety / Security
Chassis	<ul style="list-style-type: none">Hot Dipped Galvanised chassisSkid Plate on “A” frame.Side mounted Rock Sliders2 quick release Rear support struts.1 quick release Front support strut	<ul style="list-style-type: none">Australian Electrical Compliance CertificateSmoke Detector1kg Fire extinguisherFire BlanketKeyed alike cam locking latches to doorsPadlock-able cam locks to other doorsMicro Dot identification system with certificate
Running Gear	<ul style="list-style-type: none">16” Black Steel Rims6 Stud Landcruiser STD (match vehicle may be available)Quality All Terrain TyresIndependent Coil spring SuspensionQuality known brand shock absorbers200mm Jockey Wheel50mm ALKO All terrain couplingElectric Braking SystemHand Brake CableFull size spare wheel rear mounted2 x Rear mounted jerry cansRear mounted shovel, axe and machete in front gas store	Utilities – Power supply EPP 3 Mk 1 Electronic Power Panel
Electrical	<ul style="list-style-type: none">12 volt LED “Truck type” lights12 volt LED Number plate light7 pin standard trailer connect wiring240 volt park power inlet weather proof plugSolar panel input Anderson plug240 volt GPO inside pantry240 volt “European” 2 pin plug	<ul style="list-style-type: none">Rugged military style enclosure2 x 120 amp AGM Deep Cycle Batteries10 amp 12 volt DC to DC charger10 amp 110/240 volt AC charger3.1 amp twin USB ports250 watt 12 volt DC PWM solar RegulatorDC automatic resettable fuses on All inputs & outputsLow voltage cut-out buzzerAuto low voltage cut-out function On lights, pumpDC polarity protection240 volt Earth leakage switchesWater Tank usage meter includedMerit power points around camperAnderson plugs for Auxiliary / Solar
Body	<ul style="list-style-type: none">Fibreglass Monocoque outer shellColour Impregnated durabilityCorrosion free bodyStainless steel bolts, nuts and hingesInternal Load area tie down railsAutomotive type door rubber sealsHeavy Duty interior Carpeting	Utilities – Gas Supply
	<ul style="list-style-type: none">Rain GuttersManoeuvring HandlesMud FlapsWood rack / storage tray to “A” frameRear underbody fold down storage tray	<ul style="list-style-type: none">2 x 4kg gas bottles housed in front compartmentRegulator fitted to one bottle allowing swap and contingency refillingJoolca instantaneous gas hot water system with snap on fittingsAustralian Gas appliance certification where applicable
	Accommodation	Additional Options available at extra cost
	<ul style="list-style-type: none">Front fold down tent for 2.Dining table can fold down a bed for 2.High density foam mattress.12 volt LED reading lights front and rear400gm two tone military spec rip stop canvas.Front bed fly attaches for tropic / damp conditionsContrasting red highlight stitchingMidgey netting to all screen windows.Many Internal storage Cupboards above and belowVarious storage pouches on external / internal doors	<ul style="list-style-type: none">Full side wall kit fits under roll out Awning = \$825.00Condensation sheet to front tent ceiling = \$159.00Front clip on Stone Guard = \$319.00Upgrade from standard Dometic 75litre dual zone fridge/freezer to 90 litre National Luna dual zone \$1,100.00 extraInternal tinted Perspex side door \$120.00Quote to possibly change 6 stud wheels to vehicle specific
	Utilities – Water supply / Bathroom	
	<ul style="list-style-type: none">Full slide out bathroom with flexible shower hoseDometic 12 volt power flush toilet with ceramic bowlSolid moulded shower floor, (ability to capture grey water)Fold down vanity hand basinZip up bathroom privacy curtainVanity MirrorNatural sunlight sunroof to bathroom hood120 litre Drink safe Poly water tankWater tank gauge included12v pressurised water pump to kitchen and shower“A” Frame mounted gravity feed water tap	
	Kitchen	
	<ul style="list-style-type: none">Standard Dometic 75 litre dual zone Fridge / FreezerLarge campers pantry incorporating led lightingDual colour LED white/(insect repelling) amber lightingLarge fold down Kitchen preparation table with slide out dining tableAwning and poles stored under tilt up roofComplete camp crockery, cutlery, mugs and glassesDometic 2 burner gas cooktop with pot drawer underHeavy Duty 240kg Fridge sliderWash basin and drying rackHot and Cold Water supplyBraai BBQ Grill mounted on rear spare wheelTwo external grocery storage boxes either side at front	



Eco Tec 2



Proudly Presenting the Echo Range of
Quality Camping Products to Australia

Contact: www.echo4x4australia.com.au

www.panoramacampers.com.au

Echo 4x4 Tec 2 Sleeper Australian Specifications by Panorama Campers

Specifications	Accommodation	Utilities – Water supply / Bathroom
<ul style="list-style-type: none"> Tare : 450kg Gross Vehicle Mass: 1500kg Overall Length: 3100mm Overall Width: 1850mm Overall Height: 1975mm Tow ball weight 68kg 	<ul style="list-style-type: none"> Mk 4 fold out tent for 2 with ladder access High density foam mattress. 400gm two tone military spec rip stop canvas. Built in awning overhangs to tent fly's Contrasting red highlight stitching Midgey netting to all screen windows. Side storage drawers for clothing accessible inside tent Various storage pouches on external / internal doors 	<ul style="list-style-type: none"> 120 litre Drink safe Poly water tank water tank gauge included 12v pressurised water pump to kitchen and shower "A" Frame mounted gravity feed water tap Portable easy erect Joolca double Ensuite cubicle
Chassis	Safety / Security	Utilities – Gas Supply
<ul style="list-style-type: none"> Hot Dipped Galvanised chassis Skid Plate on "A" frame. Side mounted Rock Sliders Rear levelling ratchet lift support struts. Double Jockey wheel High Lift Jack Points 	<ul style="list-style-type: none"> Australian Electrical Compliance Certificate Smoke Detector 1kg Fire extinguisher Fire Blanket Keyed alike locking latches to doors Padlock-able cam locks to other doors Micro Dot identification system with certificate 	<ul style="list-style-type: none"> 2 x 2kg gas bottles housed in twin lockable rear wing compartments Regulator fitted to one side allowing contingency refilling Joolca instantaneous gas hot water system with snap on fittings Australian Gas appliance certification where applicable
Body	Kitchen	Electrical
<ul style="list-style-type: none"> 1.2mm Fully Electro Galvanised Steel 2K Automotive Paint Stainless steel bolts, nuts and hinges Load area tie down rails Automotive type door rubber seals Heavy Duty interior Carpet mat Rain Gutters Manoeuvring Handles Mud Flaps 2 x front mounted jerry cans Front luggage / wood rack 	<ul style="list-style-type: none"> Standard 75 litre dual zone Fridge / Freezer Large campers pantry incorporating led lighting Dual colour LED white/(insect repelling) amber lighting Large fold down Kitchen preparation table 360 degree awning surrounds camper Complete camp crockery ,cutlery, mugs and glasses Quality portable 2 burner gas cooktop Heavy Duty 240kg Fridge slider Front mounted Wash basin and drying rack Hot and Cold Water supply Braai BBQ Grill mounted on rear spare wheel 	<ul style="list-style-type: none"> 12 volt LED "Truck type" lights 12 volt LED Number plate light 7 pin standard trailer connect wiring 240 volt power inlet weather proof plug Solar panel input Anderson plug 240 volt GPO inside pantry 240 volt "European" 2 pin plug
Running Gear	Utilities – Power supply	Additional Options at extra cost
<ul style="list-style-type: none"> 16" Black Steel Rims 6 Stud Landcruiser Std (see optional) Quality All Terrain Tyres Independent Coil spring Suspension Quality known brand shock absorbers 200mm Jockey Wheel 50mm ALKO All terrain coupling Electric Brake System Hand Brake Cable Full size spare wheel rear mounted 	<p>EPP 3 Mk 1 Electronic Power Panel</p> <ul style="list-style-type: none"> Rugged military style enclosure 120 amp AGM Deep Cycle Battery 10 amp 12 volt DC to DC charger 10 amp 110/240 volt AC charger 3.1 amp twin USB ports 250 watt 12 volt DC PWM solar Regulator DC automatic resettable fuses on All inputs & outputs Low voltage cut-out buzzer Auto low voltage cut-out function On lights, pump DC polarity protection 240 volt Earth leakage switches water usage meter included Merit power points around camper Anderson plugs for Auxiliary / Solar 	<ul style="list-style-type: none"> Add a room x 2 sleeper 1700 x 2200 = \$525.00 Full side wall Annex kit fits under Complete Awning = \$1412.00 Condensation sheet to tent ceiling = \$159.00 each sheet Front Stone Guard = \$135.00 Upgrade from standard Dometic 75litre dual zone fridge/freezer to 90 litre National Luna dual zone = \$1100 extra

Due to continuous improvement the manufacturer reserves the right to change specifications without notice



Chobe Tec : 4 Sleeper



Proudly Presenting the Echo Range of
Quality Camping Products to Australia

Contact: www.echo4x4australia.com.au

www.panoramacampers.com.au

Echo 4x4 Chobe Tec 4 Sleeper Australian Specifications by Panorama Campers

Specifications	Accommodation	Utilities – Water supply / Bathroom
<ul style="list-style-type: none"> Tare : 760kg Gross Vehicle Mass: 1500kg Overall Length: 4150mm Overall Width: 1880mm Overall Height: 2100mm Tow ball weight 98kg 	<ul style="list-style-type: none"> Front fold down tent for 2. Side fold out tent for 2. High density foam mattress. 400gm two tone military spec rip stop canvas. Built in awning overhangs to tent flies Contrasting red highlight stitching Midgey netting to all screen windows. Internal Clothing Cupboards Various storage pouches on external / internal doors 	<ul style="list-style-type: none"> 120 litre Drink safe Poly water tank water tank gauge included 12v pressurised water pump to kitchen and shower Rear mounted gravity feed water tap in gas bottle locker. Front mount shower cubicle Front mount external hand basin in cubicle
Chassis	Safety / Security	Utilities – Gas Supply
<ul style="list-style-type: none"> Hot Dipped Galvanised chassis Skid Plate on “A” frame. Side mounted Rock Sliders Rear removable support struts. Front quick release support strut 	<ul style="list-style-type: none"> Australian Electrical Compliance Certificate Smoke Detector 1kg Fire extinguisher Fire Blanket Keyed alike locking latches to doors Padlock-able cam locks to other doors Micro Dot identification system with certificate 	<ul style="list-style-type: none"> 2 x 2kg gas bottles housed in twin lockable rear wing compartments Regulator fitted to one side allowing contingency refilling Joolca instantaneous gas hot water system with snap on fittings Australian Gas appliance certification where applicable
Body	Kitchen	Electrical
<ul style="list-style-type: none"> Fibreglass Monocoque outer shell Colour Impregnated durability Corrosion free body Stainless steel bolts, nuts and hinges Load area tie down rails Automotive type door rubber seals Heavy Duty interior Carpeting Rain Gutters Manoeuvring Handles Mud Flaps 	<ul style="list-style-type: none"> Standard 75 litre dual zone Fridge / Freezer Large campers pantry incorporating led lighting Dual colour LED white/(insect repelling) amber lighting Large fold down Kitchen preparation table 270 degree self-supporting awning with fold down legs Complete camp crockery ,cutlery, mugs and glasses Dometic 2 burner gas cooktop with pot drawer under Heavy Duty 240kg Fridge slider Wash basin and drying rack Hot and Cold Water supply Braai BBQ Grill mounted on rear spare wheel 	<ul style="list-style-type: none"> 12 volt LED “Truck type” lights 12 volt LED Number plate light 7 pin standard trailer connect wiring 240 volt power inlet weather proof plug Solar panel input Anderson plug 240 volt GPO inside pantry 240 volt “European” 2 pin plug
Running Gear	Utilities – Power supply	Additional Options at extra cost
<ul style="list-style-type: none"> 16” Black Steel Rims 6 Stud Landcruiser Std (see optional) Quality All Terrain Tyres Independent Coil spring Suspension Quality known brand shock absorbers 200mm Jockey Wheel 50mm ALKO All terrain coupling Electric Brake System Hand Brake Cable Full size spare wheel rear mounted 2 x front mounted jerry cans 	<p>EPP 3 Mk 1 Electronic Power Panel</p> <ul style="list-style-type: none"> Rugged military style enclosure 120 amp AGM Deep Cycle Battery 10 amp 12 volt DC to DC charger 10 amp 110/240 volt AC charger 3.1 amp twin USB ports 250 watt 12 volt DC PWM solar Regulator DC automatic resettable fuses on All inputs & outputs Low voltage cut-out buzzer Auto low voltage cut-out function On lights, pump DC polarity protection 240 volt Earth leakage switches water usage meter included Merit power points around camper Anderson plugs for Auxiliary / Solar 	<ul style="list-style-type: none"> Full side wall Annex kit fits under 270 Awning = \$825.00 Condensation sheets to tent ceilings, front sleeper/ side sleeper \$159.00 each sheet Front Stone Guard = \$135.00 Upgrade from standard Dometic 75litre dual zone fridge/freezer to 90 litre National Luna dual zone \$1100 extra